

CURRICULUM VITAE

CHRIS A. JOHNSON, Ph.D.

Professor, Department of Ophthalmology and Visual Sciences

Director, Visual Field Reading Center

University of Iowa Hospitals and Clinics

200 Hawkins Drive

Iowa City, IA 52242-1091

Telephone: 319-356-0384 & 319-467-4501

FAX: 319-353-7699 & 319-467-4536

E-Mail address: Chris-A-Johnson@uiowa.edu



EDUCATION:

1967 - 1970	University of Oregon, Eugene, OR B.A., Psychology 1970
1971 - 1972	Pennsylvania State University, University Park, PA M.Sc., Psychology 1972
1972 - 1974	Pennsylvania State University, University Park, PA Ph.D., Psychology 1974
2005	State University of New York, New York, NY D.Sc. (Honorary)

PROFESSIONAL EXPERIENCE:

2008 – present	Professor, Department of Ophthalmology and Visual Science, Univ. of Iowa
1999 – 2008	Oregon Lions' Anderson, Chenoweth, Ross Vision Research Chair
1997 - 2008	Director of Diagnostic Research & Senior Scientist Devers Eye Institute & Discoveries in Sight Research Labs
1989 - 1997	Professor, Department of Ophthalmology University of California, Davis, CA
1989 - 1997	Director, Optics and Visual Assessment Laboratory (OVAL) University of California, Davis, CA
1987 - 1997	Director, Visual Field Service, University of California Davis Medical Center Eye Clinic
1983 - 1989	Associate Professor, Department of Ophthalmology, University of California, Davis, CA
1978 - 1983	Assistant Professor, Department of Ophthalmology, University of California, Davis, CA
1977 - 1978	Postdoctoral Research Fellow, Department of Ophthalmology University of California, Davis, CA
1974 - 1976	Postdoctoral Research Fellow, Dept. of Ophthalmology University of Florida, Gainesville, FL

PROFESSIONAL SOCIETIES:

American Academy of Ophthalmology
 American Academy of Optometry (Fellow)
 Association for Research in Vision and Ophthalmology
 International Perimetric Society
 American Glaucoma Society
 North American Perimetric Society
 Optical Society of America
 Optometric Glaucoma Society
 Glaucoma Research Society

RESEARCH FUNDING:

1975 - 1976 Recipient, National Institute Postdoctoral Research Fellowship, #EY000173-02, Dept. of Ophthalmology University of Florida, Gainesville, FL

1977 Recipient, National Eye Institute Postdoctoral Research Fellowship, #EY05160-01, Dept. of Ophthalmology, University of California, Davis, CA

1978 - 1979 Co-principal Investigator, National Eye Institute Research Grant, #EY01841-02, "Photogrammetric Quantification of the Optic Cup".

1978 - 1980 Principal Investigator, National Eye Institute Academic Investigator Award, #KO7-EY60095, "Psychophysical Examination of the Visual Fields".

1978 - 1979 Principal Investigator, University of California, Davis, Biomedical Research Support Grant, "Analysis of Retinal Function in Normal and Abnormal Human Vision".

1978 - 1979 Principal Investigator, University of California, Davis, Faculty Research Grant, "Factors Affecting the Accommodation Response of the Human Eye".

1980 - 1984 Co-Investigator, National Eye Institute Research Grant, #EY01841-04, "Photogrammetric Quantification of the Optic Cup".

1981 - 1983 Principal Investigator, National Eye Institute Research Grant, #EY03424-01, "Perimetry and Clinical Psychophysics".

1984 - 1986 Principal Investigator, National Eye Institute Research Grant, #EY03424-04, "Perimetry and Clinical Psychophysics".

1987 - 1991 Principal Investigator, National Eye Institute Research Grant, #EY03424-07, "Perimetry and Clinical Psychophysics in Glaucoma"

1988 - 1990 Principal Investigator, "Development of Heuristic Test Strategies for Automated Perimetry", Allergan-Humphrey.

1988 - 1992 Co-Director, National Eye Institute Research Project Cooperative Agreement (#EY07461), "Optic Neuritis Treatment Trial Visual Field Reading Center"

1992-1993 Principal Investigator, National Eye Institute Research Grant, #EY09867, "Perimetric Results in the Optic Neuritis Treatment Trial"

1992 - 1996 Principal Investigator, National Eye Institute Research Grant, #EY03424-12, "Perimetry and Clinical Psychophysics in Glaucoma"

1992 - 1997 Research to Prevent Blindness Senior Scientific Investigator Award.

1992 - 2001 Co-Investigator and Co-Director, National Eye Institute Research Project, "O.H.T.S. Visual Field Reading Center".

1992-1997 Co-Investigator, National Eye Institute Research Grant, #EY09435, "Longitudinal Optic Neuritis Study Visual Field Reading Center".

RESEARCH FUNDING (cont):

1993-2001	Co-Investigator, National Eye Institute Clinical Center Grant, "Clinical Center for OHTS".
1995-2000	Principal Investigator, National Eye Institute Research Grant #EY11154, "Short Wavelength Automated Perimetry in the OHTS Trial".
1995-2008	Visual Field Consultant, National Eye Institute Research Grant #EY11030, "Randomized Trial for Retinitis Pigmentosa", (Eliot Berson, M.D., Principal Investigator).
1995-present	Principal Investigator, "Frequency-Doubling Perimetry", Welch Allyn.
1997-2001	Principal Investigator, National Eye Institute Research Grant, #EY03424-17, "Perimetry and Clinical Psychophysics in Glaucoma"
1998-2000	Co-Principal Investigator, "Glaucoma Screening Project", Collins Foundation.
1999-2006	Co-Principal Investigator, Visual Field Reading Center for "A 48-Month, Multi-center, Randomized, Double-Masked, Placebo-Controlled, Clinical Study to Evaluate the Effectiveness and Safety of Oral Memantine in Daily Doses of 20 mg and 10 mg in Patients with Chronic Open-Angle Glaucoma at Risk for Glaucomatous Progression (with double-masked treatment extended for an additional 12 months), Protocol # 192944-004-03), Allergan Pharmaceuticals.
2000-2005	Principal Investigator, National Eye Institute Research Grant #EY11154, "Short Wavelength Automated Perimetry in the OHTS Trial".
2002-2007	Principal Investigator, National Eye Institute Research Grant #EY-03424-22, "Perimetry and Psychophysics in Glaucoma".

HONORS AND AWARDS:

1987	Distinguished Service Award, American Academy of Ophthalmology
1988	Honor Award, American Academy of Ophthalmology
1992	Research to Prevent Blindness Senior Scientific Investigator Award
1994	Glenn Fry Award, American Optometric Foundation
1999	Peters Memorial Lecturer, UC Berkeley Optometry Alumni Association
2004	American Glaucoma Society Lecturer
2004	Invited Speaker, Japanese Ophthalmological Society (Tokyo)
2005	Senior Achievement Award, American Academy of Ophthalmology
2005	Honorary Doctor of Science Degree, State University of New York
2007	Med Coll Wisconsin Distinguished Research Lecturer
2009	Fellow, Association for Research in Vision and Ophthalmology (ARVO)

SERVICE ON NATIONAL AND INTERNATIONAL COMMITTEES:

1. International Perimetric Society, Automated Perimetry Standards Group (Co-Chair - 1982-1984).
2. Member, National Eye Institute Special Study Section, 1983.
- 3.. National Academy of Sciences - National Research Council Committee on Vision (Member - 1985-1988).
4. Co-Chair, Working Group on Night Vision, National Academy of Sciences / National Research Council Committee on Vision (1985-1987).
5. National Institutes of Health Glaucoma Interim Review Panel (Panel to revise five year plan for Glaucoma Section of the National Institutes of Health) (Member - 1986-1987).
6. Non-Invasive Assessment of the Visual System, Topical Subgroup Optical Society of America (Program Chair - 1987; General Chair - 1988; Advisory Group - 1989 - 1995).

SERVICE ON NATIONAL AND INTERNATIONAL COMMITTEES (cont) :

7. Member, Glaucoma Detection Subcommittee, National Society to Prevent Blindness (1985 - 2004).
8. Member, Medical Advisory Board, Department of Motor Vehicles, State of California, (1990 - 1997).
9. Member, Small Business Innovative Research (SBIR) Grant Review Study Section, National Eye Institute (1990).
10. Ad Hoc Member, VISB Grant Review Study Section, National Eye Institute (1991).
11. Ad Hoc Member, VISB Grant Review Study Section, National Eye Institute (February 1992).
12. Member, Council on Research of the American Optometric Association 1992, 1996, 1998 and 2000 Summer Invitational Research Institute.
13. Member, Executive Committee and Data Safety and Monitoring Committee, Optic Neuritis Treatment Trial (ONTT) Multicenter Clinical Trial (1986-1992).
14. Scientific Advisory Committee Member, "Visual Impairment and Functional Status in Older Americans" Clinical Research Project (Salisbury Eye Evaluation). (1993-1998).
15. Member, Executive and Steering Committee, Ocular Hypertension Treatment Study (OHTS) Multicenter Clinical Trial (June 1992 - May 2002).
16. Member, Program Committee for XIth Meeting of the International Perimetric Society (January 1993 - July 1994).
17. Member, National Academy of Sciences / National Research Council Committee on Vision on Visual Fields/Visual Acuity Disability Levels (May, 1993 - 1995).
18. Member, Eye Care Technology Forum - Glaucoma Panel, National Eye Institute, (May, 1993 - 1996).
19. Ad Hoc Member, VISB Grant Review Study Section, National Eye Institute (June 1994).
20. Member, Glaucoma Advisory Committee, Prevent Blindness America (January 1994 - 2004).
21. Co-Founder and Co-Chair, North American Perimetry Society (NAPS). (1995 -present)
22. Member, Editorial Board, Journal of Glaucoma (1995-present).
23. Member, Medical Editorial Advisory Board, Eye Care Technology Magazine, (1996 - 1998).
24. Member, Editorial Board, Optometry and Vision Science (1996-2002 & 2008-present).
25. Member, National Eye Institute Glaucoma Panel for developing "Vision Research: A National Plan: 1999-2003". (1997).
26. Member, American Academy of Ophthalmology "New Technology and Therapies Task Force" (1998 - 1999).
27. Member, Scientific Advisory Board, The Glaucoma Foundation, New York, 1997-present.
28. Guest Editorial Board Member, Investigative Ophthalmology and Visual Science, (May-Oct., 1999, 2004).
29. Ad Hoc Member, VISB Grant Review Study Section, National Eye Institute (Oct. 1999).
30. Ad Hoc Member, National Eye Institute Special Emphasis Panel (Jan 2000).
31. Member, Fight for Sight Fellowship Awards Committee (2000-2001).
32. Member, National Academy of Sciences / National Research Council Committee on Disability Determination for Individuals with Visual Impairments (2000-2002).
33. Ad Hoc Member, NEI Grant Review Study Section (April 2003; July 2003).
34. Vice President, International Perimetric Society, (June 2004 - present)
35. Member, Adult Vision Advisory Committee, Prevent Blindness America (2005-present).
36. Member, Editorial Board, Glaucoma Today (July 2005-present)
37. Member, Editorial Board, Optometric Glaucoma Society Electronic Newsletter (Oct 2005-present)
38. Member, American Academy of Optometry Awards Committee (2007-2008; Chair in 2009)
39. Chair, ZEY1 VSN (02) K Grant Review Committee, National Eye Institute (2007)

40. Editorial Board Member, International Glaucoma Review (2007 – present)
41. Member, ARVO Ethics Committee (2008 – present)

RESEARCH INTERESTS:

Perimetry, visual field testing and psychophysical evaluation of glaucoma and retinal diseases.
Development of automated diagnostic test procedures.
Imaging and topography of the optic nerve head and retinal nerve fiber layer.
Visual factors related to task performance in transportation/aviation & industry.
Motion and flicker perception.

PATENTS:

Johnson, CA and Howard DL: APPARATUS AND METHOD FOR VISUAL-FIELD TESTING. U.S. Patent No. 5,024,519 (June 18, 1991 date of issue).

Johnson, CA and Shapiro LR: REAL-TIME INTERACTIVE OPTIMIZED TEST SEQUENCE. U.S. Patent No. 5,050,983 (September 24, 1991 date of issue).

Howard, DL and Johnson CA: SERVO-CONTROLLED LIQUID CRYSTAL WINDOWS. US Patent No. 5,903,247 (May 11, 1999 date of issue).

PUBLICATIONS:

1. Leibowitz HW, Johnson CA and Isabelle E: Peripheral motion detection and refractive error. *Science*, 1972, 177: 1207--1208.
2. Leibowitz HW and Johnson CA: Dioptrics of the periphery of the eye. *Science*, 1973, 182: 87.
3. Johnson CA and Leibowitz HW: Practice, refractive error and feedback as factors influencing peripheral motion thresholds. *Perception and Psychophysics*, 1974, 15: 276-280.
4. Millodot M, Johnson CA, Lamont A and Leibowitz HW: Effect of dioptrics on peripheral visual acuity. *Vision Research*, 1975, 15: 1357-1362.
5. Johnson CA and Leibowitz HW: Velocity-time reciprocity in the perception of motion: Foveal and peripheral determinations. *Vision Research*, 1976, 16: 177-180.
6. Johnson CA: Effects of luminance and stimulus distance on accommodation and visual resolution. *Journal of the Optical Society of America*, 1976, 66: 138-142.
7. Enoch JM, Lazarus J and Johnson CA: Human psychophysical analysis of receptive field-like properties: I. A new transient like visual response using a moving windmill (Werblin-type) target. *Sensory Processes*, 1976, 1: 14-32.
8. Enoch JM and Johnson CA: Additivity of effects within sectors of the sensitization zone of the Westheimer function. *American Journal of Optometry and Physiological Optics*, 1976, 53: 350-358.
9. Johnson CA and Enoch JM: Human psychophysical analysis of receptive field-like properties: II. Dichoptic properties of the Westheimer function. *Vision Research*, 1976, 16: 1455-1462.
10. Johnson CA and Enoch JM: Human psychophysical analysis of receptive field-like properties: III. Dichoptic properties of a new transient-like psychophysical function. *Vision Research*, 1976, 16: 1463-1470.

11. Johnson CA, Leibowitz HW, Millodot M and Lamont A: Peripheral visual acuity and refractive error: Evidence for "two visual systems"? *Perception and Psychophysics*, 1976, 20: 460-462.

PUBLICATIONS (cont):

12. Johnson CA and Enoch JM: Human psychophysical analysis of receptive field-like properties: IV. Further examination and specifications of the psychophysical transient-like function. *Documenta Ophthalmologica*, 1976, 41: 329-345.
13. Johnson CA, Enoch JM and Fitzgerald CR: Human psychophysical analysis of receptive field-like properties: V. Adaptation of stationary and moving windmill target characteristics to clinical populations. *Documenta Ophthalmologica*, 1976, 41: 347-370.
14. Johnson CA: Some psychophysical considerations for visual training. *Low Vision Abstracts*, 1976, 2: 1-3.
15. Enoch JM and Johnson CA: The Westheimer function as an indicator of fixation locus. *American Journal of Ophthalmology*, 1977, 83: 495-498.
16. Johnson CA and Enoch JM: Human psychophysical analysis of receptive field-like properties: VI. Current summary and analysis of factors affecting the psychophysical transient-like function. *Documenta Ophthalmologica Proceedings Series XIV (Second International Visual Field Symposium)*, 1977, 367-371.
17. Enoch JM, Johnson CA and Fitzgerald CR: Human psychophysical analysis of receptive field-like properties: VII. Initial clinical trials of the psychophysical transient-like function. *Documenta Ophthalmologica Proceedings Series XIV (Second International Visual Field Symposium)*, 1977, 373-378.
18. Leibowitz HW, Johnson CA and Guez JR: Differences in the processing of peripheral stimuli. *Documenta Ophthalmologica Proceedings Series XIV (Second International Visual Field Symposium)*, 1977, 299-302.
19. Johnson CA, Keltner JL and Balestrery F: Effects of target size and eccentricity on visual detection and resolution. *Vision Research*, 1978, 18: 1217-1222.
20. Keltner JL, Johnson CA and Balestrery FG: Suprathreshold static perimetry: Initial clinical trials with the Fieldmaster automated perimeter. *Archives of Ophthalmology*, 1979, 97: 260-272.
21. Johnson CA, Keltner JL and Balestrery FG: Acuity profile perimetry. Description of technique and preliminary clinical trials. *Archives of Ophthalmology*, 1979, 97: 684-689.
22. Johnson CA and Leibowitz HW: Practice effects for visual resolution in the periphery. *Perception & Psychophysics*, 1979, 25: 439-442.
23. Keltner JL and Johnson CA: Automated perimetry. *The Western Journal of Medicine, Epitomes of Progress in Ophthalmology*, 1979, 139: 543.
24. Johnson CA, Keltner JL and Balestrery FG: Suprathreshold static perimetry in glaucoma and other optic nerve disease. *Ophthalmology*, 1979, 86: 1278-1286.
25. Krohn MA, Keltner JL and Johnson CA: Comparison of photographic techniques and films used in stereophotogrammetry of the optic disk. *American Journal of Ophthalmology*, 1979, 88: 859-863.
26. Johnson CA, Keltner JL, Krohn MA and Portney GL: Photogrammetry of the optic disc in glaucoma and ocular hypertension using simultaneous stereo photography. *Investigative Ophthalmology and Visual Science*, 1979, 18: 1252-1263.

27. Johnson CA and Keltner JL: Comparison of manual and automated perimetry in 1,000 eyes. In Computers in Ophthalmology, New York, IEEE Computer Society Publications, April 1979, pp 178-181.

PUBLICATIONS (cont.)

28. Johnson CA and Keltner JL: Automated suprathreshold static perimetry. American Journal of Ophthalmology, 1980, 89: 731-741.
29. Johnson CA and Keltner JL: Reply to Gerber, Brothers, Erickson, Sprotzer and Farrell. Archives of Ophthalmology, 1980, 98: 931-932.
30. Johnson CA and Keltner JL: Comparative evaluation of the Autofield-1, CFA-120 and Fieldmaster Model 101-PR automated perimeters. Ophthalmology, 1980, 87: 777-784.
31. Keltner JL and Johnson CA: Mass visual field screening in a driving population. Ophthalmology, 1980, 87 :785-790.
32. Keltner JL, Johnson CA and Cowley IJ: Acuity profile perimetry in a unique case of bilateral central serous retinopathy. Annals of Ophthalmology, 1980, 12: 726-731.
33. Johnson CA and Scobey RP: Foveal and peripheral displacement thresholds as a function of stimulus luminance, line length and duration of movement. Vision Research, 1980, 20: 709-715.
34. Johnson CA and Keltner JL: Static and acuity profile perimetry in optic neuritis. Documenta Ophthalmologica Proceedings Series 26, 1981, 305-312.
35. Keltner JL and Johnson CA: Capabilities and limitations of automated suprathreshold static perimetry. Documenta Ophthalmologica Proceedings Series 26, 1981, 49-55.
36. Keltner JL and Johnson CA: Comments on: Visual field defect characteristics in cases of hyperprolactinaemia by R. Fulmek and F. Friedrich. Documenta Ophthalmologica Proceedings Series 26, 1981, 334-335.
37. Maddock RJ, Millodot M, Leat S and Johnson CA: Accommodation responses and refractive error. Investigative Ophthalmology and Visual Science, 1981, 20: 387-391.
38. Keltner JL and Johnson CA: Automated perimetry. I. A consumer's guide. Annals of Ophthalmology, 1981, 13: 275-279.
39. Keltner JL and Johnson CA: Automated perimetry. II. Devices manufactured in the United States and abroad. Annals of Ophthalmology, 1981, 13: 395-397.
40. Johnson CA, Keltner JL and Balestrery FG: Static and acuity profile perimetry at various adaptation levels. Documenta Ophthalmologica, 1981, 50: 371-388.
41. Johnson CA and Keltner JL: Computer analysis of visual field loss and optimization of automated perimetric test strategies. Ophthalmology, 1981, 88: 1058-1065.
42. Scobey RP and Johnson CA: Psychophysical properties of displacement thresholds for moving targets. Acta Psychologica, 1981, 48: 59-65.
43. Scobey RP and Johnson CA: Displacement thresholds for unidirectional and oscillatory movement. Vision Research, 1981, 21: 1297-1302.
44. Keltner JL and Johnson CA: Comparative material on automated and semi-automated perimeters. Ophthalmology Instrument and Book Supplement, 1981, October: 67-69.

45. Keltner JL and Johnson CA: Effectiveness of automated perimetry in following glaucomatous visual field progression. *Ophthalmology*, 1982, 89: 247-254.
46. Johnson CA and Scobey RP: Effects of reference lines on displacement thresholds at various durations of movement. *Vision Research*, 1982, 22: 819-821.

PUBLICATIONS (cont.)

47. Johnson CA, Post RB, Chalupa LM and Lee TJ: Monocular deprivation in humans: a study of identical twins. *Investigative Ophthalmology and Visual Science*, 1982, 23: 135-138.
48. Keltner JL and Johnson CA: Comparative material on automated and semiautomated perimeters - 1982. *Ophthalmology Instrument and Book Supplement*, 1982, 89: 65-80.
49. Johnson CA and Keltner JL: The incidence of visual field loss in 20,000 eyes and its relationship to driving performance. *Archives of Ophthalmology*, 1983, 101: 371-376.
50. Keltner JL and Johnson CA: Correlations between peripheral visual function and driving performance. *Documenta Ophthalmologica Proceedings Series*, 1983, 35: 211-216.
51. Matsumoto ER, Johnson CA and Post RB: Effect of X-Chrom lens wear on chromatic discrimination and stereopsis in color-deficient observers. *American Journal of Optometry and Physiological Optics*, 1983, 60: 297-302.
52. Johnson CA and Keltner JL: Properties of scotomata in glaucoma and optic nerve disease: computer analysis. *Documenta Ophthalmologica Proceedings Series*, 1983, 35: 281-286.
53. Keltner JL and Johnson CA: Preliminary examination of the SQUID automated perimeter. *Documenta Ophthalmologica Proceedings Series*, 1983, 35: 371-377.
54. Keltner JL and Johnson CA: Comparative material on automated and semiautomated perimeters - 1983. *Ophthalmology Instrument and Book Supplement*, 1983, 1-35.
55. Verriest G, Barca L, Dubois-Poulsen A, Houtmans MJM, Inditsky B, Johnson C, Overington I, Ronchi L and Villani S: The occupational visual field. I. Theoretical aspects: the normal functional visual field. *Documenta Ophthalmologica Proceedings Series*, 1983, 35: 165-185.
56. Johnson CA: The test logic of automated perimetry. *ACTA:XXIV International Congress of Ophthalmology*, 1983, Philadelphia: JB Lippincott, pp 151-155.
57. Keltner JL and Johnson CA: Screening for visual field abnormalities with automated perimetry. *Survey of Ophthalmology*, 1983, 28: 175-183.
58. Keltner JL and Johnson CA: Automated and manual perimetry - A six year overview. *Ophthalmology*, 1984, 91: 68-85.
59. Bedell HE and Johnson CA: The perceived size of targets in the peripheral and central visual fields. *Ophthalmic and Physiological Optics*, 1984, 4: 123-131.
60. Schor CM, Johnson CA and Post RB: Adaptation of tonic accommodation. *Ophthalmic and Physiological Optics*, 1984, 4: 133-137.
61. Post RB, Scobey RP and Johnson CA: Effects of retinal eccentricity on displacement thresholds for unidirectional and oscillatory stimuli. *Vision Research*, 1984, 24: 835-840.
62. Keltner JL and Johnson CA: Comparative material on automated and semiautomated perimeters - 1984. *Ophthalmology Instrument and Book Supplement* 1984: 25-50.

63. Keltner JL and Johnson CA: Automated Perimetry. American Academy of Ophthalmology Recommendation. Ophthalmology Instrument and Book Supplement 1984 :51-57.
64. Mannis M, Zadnik K and Johnson CA: The effect of penetrating keratoplasty on contrast sensitivity in patients with keratoconus. Archives of Ophthalmology, 1984, 102: 1513-1516.

PUBLICATIONS (cont.)

65. Hamill TR, Post RB, Johnson CA and Keltner JL: Correlation of color vision deficits and observable changes in the optic disc in a population of ocular hypertensives. Archives of Ophthalmology, 1984, 102: 1637-1639.
66. Johnson CA, Post RB and Tsuetaki TK: Short-term variability of the resting focus of accommodation. Ophthalmic and Physiological Optics, 1984, 4: 319-325.
67. Post RB, Johnson CA and Tsuetaki TK: Comparison of laser and infrared techniques for measurement of the resting focus of accommodation: Mean differences and long-term variability. Ophthalmic and Physiologic Optics, 1984, 4: 327-332.
68. Zadnik K, Mannis MJ and Johnson CA: An analysis of contrast sensitivity in identical twins with keratoconus. Cornea, 1984, 3: 99-103.
69. Johnson CA: The rime of the ancient perimetrist. Survey of Ophthalmology, 1984, 28: 428-429.
70. Keltner JL and Johnson CA: Peripheral vision screening in a driving population. Research to Prevent Blindness, Inc. Science Writers Seminar in Ophthalmology, Washington, DC, Sept 30 - Oct 3, 1984, pp 27-29.
71. Keltner JL, May WN, Johnson CA and Post RB: The California syndrome: Functional visual complaints with potential economic impact. Ophthalmology. 1985, 92: 427-435.
72. Keltner JL, Johnson CA and Lewis RA: Quantitative office perimetry. Ophthalmology, 1985, 92: 862-872.
73. Johnson CA, Keltner JL and Jacob MP: New test procedures for the SQUID automated perimeter. Documenta Ophthalmologica Proceedings Series, 1985, 42: 91-94.
74. Lewis RA, Keltner JL and Johnson CA: Preliminary clinical trials with the Humphrey Field Analyzer. Documenta Ophthalmologica Proceedings Series, 1985, 42: 159-165.
75. Verriest G, Bailey JL, Calabria G, Campos E, Crick RP, Enoch JM, Esterman B, Friedmann AC, Hill AR, Ikeda M, Johnson CA, Overington I, Ronchi L, Saida S, Serra A, Villani S, Weale RA, Wolbarsht ML and Zingirian M: The occupational visual field: II. Practical aspects: The functional visual field in abnormal conditions and its relationship to visual ergonomics, visual impairment and job fitness. Documenta Ophthalmologica Proceedings Series, 1985, 42: 281-326.
76. Post RB, Johnson CA and Owens DA: Does performance of tasks affect the resting focus of accommodation? American Journal of Optometry & Physiological Optics, 1985, 62: 533-537.
77. Keltner JL and Johnson CA: Comparative material on automated and semi-automated perimeters - 1985. Ophthalmology Instrument and Book Supplement, 1985, 92: 34-57.
78. Lewis RA and Johnson CA: Early detection of glaucomatous damage. I. Psychophysical disturbances. Survey of Ophthalmology, 1985, 30: 111-126.

79. Algazi VR, Keltner JL and Johnson CA: Computer analysis of the optic cup in glaucoma. *Investigative Ophthalmology and Visual Science*, 1985, 26: 1759-1770.
80. Lewis RA, Keltner JL and Johnson CA: A clinician's guide to automated perimetry. *Transactions of the Pacific Coast Oto-Ophthalmological Society*, 1985, 66: 263-265.
81. Lewis RA, Johnson CA and Keltner JL: The variables of automated perimetry. *Transactions of the Pacific Coast Oto-Ophthalmological Society*, 1985, 66: 273-275.
82. Johnson CA and Keltner JL: Automated visual field testing. *Proceedings of the Triservice Aeromedical Research Panel, Monograph 33*, 1985, pp. 215-221.

PUBLICATIONS (cont.)

83. Keltner JL and Johnson CA: Current status of automated perimetry. Is the ideal automated perimeter available? *Archives of Ophthalmology*, 1986, 104: 247-349.
84. Lewis RA, Johnson CA, Keltner JL and Labermeier PK: Variability of quantitative automated perimetry in normal observers. *Ophthalmology*, 1986, 93: 878-881.
85. Keltner JL and Johnson CA: Comparative material on automated and semiautomated perimeters - 1986. *Ophthalmology*, 1986, 93: 1-25.
86. Post RB and Johnson CA: Motion sensitivity in central and peripheral vision. *American Journal of Optometry and Physiological Optics* 1986, 63: 104-107.
87. Johnson CA and Keltner JL: Optimal rates of movement for kinetic perimetry. *Archives of Ophthalmology*, 1987, 105: 73-75.
88. Johnson CA, Keltner JL and Lewis RA: Automated kinetic perimetry: An efficient method of evaluating peripheral visual field loss. *Applied Optics*, 1987, 26: 1409-1414.
89. Reed DB, Mannis MJ, Hills JF and Johnson CA: Corneal epithelial healing after penetrating keratoplasty using topical Healon versus balanced salt solution. *Ophthalmic Surgery*, 1987, 18: 525-528.
90. Keltner JL and Johnson CA: Visual function, driving safety and the elderly. *Ophthalmology*, 1987, 94: 1180-1188.
91. Zadnik K, Mannis MJ, Johnson CA and Rich D: Rapid contrast sensitivity assessment in keratoconus. *American Journal of Ophthalmology*, 1987, 64: 693-697.
92. Mannis MJ, Zadnik K, Johnson CA and Adams C: Contrast sensitivity after penetrating keratoplasty. *Archives of Ophthalmology*, 1987, 105: 1220-1223.
93. Johnson CA, Keltner JL and Lewis RA: JAWS (Joint Automated Weighting Statistic): A method of converting results between automated perimeters. *Doc Ophthalmologica Proc Series*, 1987, 49: 567-568.
94. Johnson CA and Lewis RA: Staircase scoring procedures for automated perimetry. *Doc Ophthalmologica Proc Series*, 1987, 49: 575-580.
95. Johnson CA: Peripheral visual function at various adaptation levels. *Symposium Proceedings: Night Vision - Current Research and Future Directions*. Washington, DC, National Academy Press, 1987, pp 256-274.
96. Hills J and Johnson CA: Evaluation of the t test as a method of detecting visual field changes. *Ophthalmology*, 1988, 95: 261-266.

97. Ruben JB, Lewis RA, Johnson CA and Adams C: The effect of Goldmann applanation tonometry on automated static threshold perimetry. *Ophthalmology*, 1988, 95: 267-270.
98. Johnson CA, Adams CW and Lewis RA: Fatigue effects in automated perimetry. *Applied Optics*, 1988, 27: 1030-1037.
99. Mannis MJ, Zadnik K, Johnson C and Adams C: Contrast sensitivity after epikeratophakia. *Cornea*, 1988, 7: 280-284.
100. Johnson CA, Adams AJ, Twelker JD and Quigg JM: Age-related changes in the central visual field for short-wavelength-sensitive pathways. *Journal of the Optical Society of America A*, 1988, 5: 2131-2139.

PUBLICATIONS (cont.)

101. Lewis RA, Vijayan N, Watson C, Keltner J and Johnson CA: Visual field loss in migraine. *Ophthalmology*, 1989, 96: 321-326.
102. Wedemeyer L, Johnson CA and Keltner JL: Statokinetic dissociation in optic nerve disease. In: *Perimetry Update 1988/89. Proceedings of the VIIIth International Perimetric Society Meeting*. Heijl A (ed), Kugler & Ghedini, Amsterdam, 1989, pp 9-14.
103. Johnson CA, Adams AJ and Lewis RA: Automated perimetry of short- wavelength sensitive mechanisms in glaucoma and ocular hypertension. Preliminary findings. In: *Perimetry Update 1988/89. Proceedings of the VIIIth International Perimetric Society Meeting*. Heijl A (ed), Kugler & Ghedini, Amsterdam, 1989, pp 31-37.
104. Shapiro LR, Johnson CA and Kennedy RL: KRAKEN. A computer simulation procedure for static, kinetic, suprathreshold static and heuristic perimetry. In: *Perimetry Update 1988/89. Proceedings of the VIIIth International Perimetric Society Meeting*. Heijl A (ed), Kugler & Ghedini, Amsterdam, 1989, pp 431-438.
105. Johnson CA, Adams AJ and Lewis RA: Evidence for a neural basis of age-related visual field loss in normal observers. *Investigative Ophthalmology and Visual Science*, 1989, 30: 2056-2064.
106. Nelson-Quigg JM, Twelker JD and Johnson CA: Response properties of normal observers and patients during automated perimetry. *Archives of Ophthalmology*, 1989, 107: 1612-1615.
107. Chauhan BC, Drance SM, Douglas GR and Johnson CA: Visual field damage in normal-tension and high-tension glaucoma. *American Journal of Ophthalmology*, 1989, 108: 636-642.
108. Johnson CA, Shapiro LR: A comparison of MOBS (Modified Binary Search) and staircase test procedures in automated perimetry. *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1989, 7: 84-87.
109. Applegate RA, Johnson CA, Howland HC, Yee RW: Monochromatic wavefront aberrations following radial keratotomy. *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1989, 7: 98-102.
110. Shapiro LR, Johnson CA: Quantitative evaluation of manual kinetic perimetry using computer simulation. *Applied Optics*, 1990, 29: 1445-50.
111. Johnson CA and Nelson-Quigg JM: Reliability of automated perimetric tests: In reply. *Archives of Ophthalmology*, 1990, 108: 777-778 (letter to the editor).
112. Casson EJ, Shapiro LR and Johnson CA: Short-term fluctuation as an estimate of variability in visual field data. *Investigative Ophthalmology and Visual Science*, 1990, 31: 2459-2463.

113. Casson EJ, Hwang P, Johnson CA and Osako M: Temporal response properties of optic neuritis patients manifesting statokinetic dissociation (SKD). *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1990, 3: 48-51.
114. Shu H, Howard DL and Johnson CA: Development of a noninvasive video-based method of measuring transmission properties of the human lens. *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1990, 3: 151-154.
115. Adams CW and Johnson CA: Steady-state and dynamic response properties of the Mandelbaum effect. *Vision Research*, 1991, 31: 751-760.
116. Osako M, Casson EJ, Johnson CA, Huang P, and Keltner JL: Statokinetic dissociation: Analysis of spatial and temporal characteristics by perimetry. *Perimetry Update 1990/1991 (Proceedings of the IX International Visual Field Symposium)*, Amsterdam, Kugler and Ghedini, 1991, pp. 129-134.

PUBLICATIONS (cont.)

117. Keltner JL, Johnson CA, Spurr JO and Optic Neuritis Study Group: Optic neuritis treatment trial: Initial visual field defects. *Perimetry Update 1990/1991 (Proceedings of the IX International Visual Field Symposium)*, Amsterdam, Kugler and Ghedini, 1991, pp. 135 (Brief summary).
118. Johnson CA and Shapiro LR: A rapid heuristic test procedure for automated perimetry. *Perimetry Update 1990/1991 (Proceedings of the IX International Visual Field Symposium)*, Amsterdam, Kugler and Ghedini, 1991, pp. 251-256.
119. Shapiro LR and Johnson CA: Evaluation of the diagnosis of visual fields. *Perimetry Update 1990/1991 (Proceedings of the IX International Visual Field Symposium)*, Amsterdam, Kugler and Ghedini, 1991, pp. 281-285.
120. Casson EJ, Osako M, Johnson CA and Hwang P: Temporal and spatial response properties of optic neuritis patients manifesting statokinetic dissociation. *Applied Optics*, 1991, 30: 2136-2142.
121. Keltner JL, Johnson CA, Spurr JO and the Optic Neuritis Study Group: Visual Field Reading Center: Optic Neuritis Treatment Trial. *Perimetry Update 1990/1991 (Proceedings of the IX International Visual Field Symposium)*, Amsterdam, Kugler and Ghedini, 1991, pp. 151 (Brief summary).
122. Adams AJ, Johnson CA, and Lewis RA: S cone pathway sensitivity loss in ocular hypertension and early glaucoma has nerve fiber bundle pattern. *Proceedings of the 10th Symposium of the International Research Group on Colour Vision Deficiencies*, (Drum, Moreland and Serra, eds.), The Netherlands: Kluwer Academic Publishers, 1991, pp. 535-542.
123. Osako M, Casson EJ, Johnson CA, Huang P and Keltner JL: Stato-kinetic dissociation in optic neuritis: Analysis of spatial and temporal characteristics. *Japanese Journal of Ophthalmology*, 1991, 85: 294-297.
124. Johnson CA, Adams AJ, Casson EJ and Nelson-Quigg JM: Can short wavelength sensitivity losses predict the development of glaucomatous visual field defects ? *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1991, 1: 216-219.
125. Keltner JL, Johnson CA, Beck RW, Spurr JO and the Optic Neuritis Study Group: The Optic Neuritis Treatment Trial in the United States - Visual Field Reading Center. *CIBA Vision Symposium Proceedings*, 1991, pp. 74-105.
126. Mutti DO, Zadnik K, Johnson CA, Howland HC and Murphy CJ: Retinoscopic measurement of the refractive state of the rat. *Vision Research*, 1992, 32: 583-586.

127. Johnson, CA, Adams, AJ and Casson, EJ: Short-wavelength-sensitive perimetry (SWSP) can predict which glaucoma suspects will develop visual field loss. In *Progress in Biomedical Optics: Proceedings of Ophthalmic Technologies II*, SPIE Publications, Vol. 1644, 1992, pp. 230-236.
128. Johnson CA, Chauhan BC and Shapiro LR: Properties of staircase procedures for estimating thresholds in automated perimetry. *Investigative Ophthalmology and Visual Science*, 1992, 33: 2966-2974.
129. Keltner, JL and Johnson CA: Visual function and driving safety. *Archives of Ophthalmology*, 1992, 110: 1697-1698. (Editorial)
130. Osako M, Casson EJ and Johnson CA: Comparison of spatial summation between glaucoma and optic neuritis patients with statokinetic dissociation. *Japanese Journal of Clinical Ophthalmology*, 1992, 46: 837-841.

PUBLICATIONS (cont.)

131. Johnson CA, Casson EJ and Zadnik K: Final Report on Entry Level Correctional Officer Vision Standards for the California Department of Corrections. California Department of Corrections Technical Report, 1992, pp. 1-102.
132. Khong AM, Mannis MJ, Plotnik RD and Johnson CA: Computerized topographic analysis of the healing graft after penetrating keratoplasty for keratoconus. *Archives of Ophthalmology*, 1993, 115: 209-215.
133. Keltner JL, Johnson, CA, Spurr JO, Beck, RW and the Optic Neuritis Study Group: Baseline visual field profile of optic neuritis: The experience of the Optic Neuritis Treatment Trial. *Archives of Ophthalmology*, 1993, 111: 231-234.
134. Johnson CA and Nelson-Quigg, JM: A prospective three year study of response properties of normals and patients during automated perimetry. *Ophthalmology*, 1993, 100: 269-274.
135. Keltner JL, Johnson CA, Beck, RW, Cleary PA, Spurr JO and the Optic Neuritis Study Group: Quality control functions of the Visual Field Reading Center (VFRC) for the Optic Neuritis Treatment Trial (ONTT). *Controlled Clinical Trials*, 1993, 14: 143-159.
136. Johnson CA: Modern developments in clinical perimetry. *Current Opinion in Ophthalmology*, 1993, 4: 7-13.
137. Johnson, CA, Adams, AJ, Casson, EJ and Brandt, JD : Blue-on-Yellow perimetry can predict the development of glaucomatous visual field loss. *Archives of Ophthalmology*, 1993, 111: 645-650.
138. Johnson, CA, Adams AJ, Casson EJ and Brandt JD : Progression of early glaucomatous visual field loss for Blue-on-Yellow and standard White-on-White automated perimetry. *Archives of Ophthalmology*, 1993, 111: 651-656.
139. Johnson CA: Role of automation in new instrumentation. *Optometry and Visual Science*, 1993, 70: 288-298.
140. Lewis RA, Johnson CA and Adams AJ: Automated static visual field testing and perimetry of short-wavelength-sensitive (SWS) mechanisms in patients with asymmetric intraocular pressures. *Graefe's Arch Clin Exp Ophthalmology*, 1993, 231: 274-278.

141. Casson EJ, Johnson CA and Shapiro LR: A longitudinal comparison of Temporal Modulation Perimetry to White-on-White and Blue-on-Yellow Perimetry in ocular hypertension and early glaucoma. *Journal of the Optical Society of America*, 1993, 10: 1792-1806.
142. Johnson CA, Adams AJ and Casson EJ: Blue-on-yellow perimetry: A five year overview. *Perimetry Update 1992/93*, (RP Mills, ed), New York: Kugler Publications, 1993, pp 459-466.
143. Casson EJ and Johnson CA: Temporal modulation perimetry in glaucoma and ocular hypertension. *Perimetry Update 1992/93*,(RP Mills, ed), New York: Kugler Publications, 1993, pp 443-450.
144. Casson EJ, Johnson CA and Nelson-Quigg JM: Temporal modulation perimetry: the effects of aging and eccentricity on sensitivity in normals, *Investigative Ophthalmology and Visual Science*, 1993, 34: 3096-3102.
145. Keltner JL, Johnson CA, Spurr J and Beck RW: Concerning "Baseline visual field profile of optic neuritis" by Keltner JL, et. al., *Archives of Ophthalmology*, 1993, 111: 1315-1317 (letter to the editor).
146. Johnson CA, Howard DL, Marshall D and Shu H: A noninvasive video-based method of measuring lens transmission properties of the human eye. *Optometry and Vision Science*, 1993, 70: 944-955.

PUBLICATIONS (cont.)

147. Maddock RJ, Casson EJ, Lott LA, Carter CS and Johnson CA: Benzodiazepine effects on flicker sensitivity: Role of stimulus frequency and size. *Progress in Neuropsychopharmacology and Biological Psychiatry*, 1993, 17: 955-970.
148. Casson EJ and Johnson CA: Flicker perimetry in ocular hypertensives: Evidence for high and low sensitivity defects. *Noninvasive Assessment of the Visual System, J Opt Soc Am Technical Digest Series*, 1993, 3: 304-307.
149. Johnson CA and Groome, WR: Final Report on Entry Level Drawbridge Operator Vision Standards for the California Department of Transportation. California State Personnel Board Test Validation and Construction Division Technical Report, 1993, pp 1-44.
150. Johnson CA: Final Report on Entry Level Vision Standards for Licensing and Registration Examiners in the California Department of Motor Vehicles. 1993 California Department of Motor Vehicles Technical Report, 1993, pp 1-114.
151. Johnson CA: Selective vs nonselective losses in glaucoma. *Journal of Glaucoma*, 1994, 3: S32-S44 (Feature Issue - Journal Supplement).
152. Chauhan BC and Johnson CA: Evaluating and optimizing test strategies in automated perimetry. *Journal of Glaucoma*, 1994, 3: S72-S81 (Feature Issue - Journal Supplement).
153. Keltner JL, Johnson CA, Spurr JO, Beck RW and the Optic Neuritis Study Group: Visual field profile of optic neuritis: One year follow-up in the Optic Neuritis Treatment Trial. *Archives of Ophthalmology*, 1994, 112: 946-953.
154. Johnson CA and Brintz N: California Youth Authority Vision Validation Project: Final Report. Entry Level Vision Standards for Group Supervisors and Youth Counselors. California Department of the Youth Authority Technical Report, 1994, pp 1-280.
155. Johnson CA, Brandt JD, Khong AM and Adams AJ: Short-wavelength sensitivity losses in low, moderate and high risk ocular hypertensives: Initial baseline results in 250 subjects. *Vision Science and its Applications, J Opt Soc Am Technical Digest Series*, 1994, 2: 290-293.

156. Johnson CA and Day T: California Department of Fish and Game Vision Study: Final Report. Entry Level Vision Standards for Fish and Game Wardens. California Department of Fish and Game Technical Report, 1994, pp 1-224.
157. Johnson CA and Day T: California Department of Parks and Recreation Vision Study Final Report. Enter Level Vision Standards for Park Rangers. California Department of Parks and Recreation Technical Report, 1994, pp 1-234.
158. Johnson CA and Day T: California Department of Parks and Recreation Vision Study Final Report. Enter Level Vision Standards for Lifeguards. 1994 California Department of Parks and Recreation Technical Report, 1994, pp 1-226.
159. Johnson CA, Brandt JD, Khong AM and Adams AJ: Short wavelength automated perimetry (SWAP) in low, medium and high risk ocular hypertensives: Initial baseline findings. Archives of Ophthalmology, 1995, 113: 70-76.
160. Johnson CA and Marshall D: Aging effects for opponent mechanisms in the central visual field. Optometry and Vision Science, 1995, 72: 75-82.
161. Johnson CA and Keltner JL: Short Wavelength Automated Perimetry (SWAP) in optic neuritis. In Perimetry Update 1994/95. (RP Mills and M Wall, eds), Amsterdam: Kugler Publications, 1995, pp. 91-96.

PUBLICATIONS (cont.)

162. Johnson CA, Marshall D and Eng K: Displacement threshold perimetry in glaucoma using a Macintosh computer system and a 21 inch monitor. In Perimetry Update 1994/95. (RP Mills and M Wall, eds), Amsterdam: Kugler Publications, 1995, Pp. 103-110.
163. Keltner JL and Johnson CA: Short Wavelength Automated Perimetry (SWAP) in neuro-ophthalmologic disorders. Archives of Ophthalmology, 1995, 113: 475-481.
164. Bedell HE and Johnson CA: The effect of flicker on foveal and peripheral thresholds for oscillatory motion. Vision Research, 1995, 35: 2179-2189.
165. Johnson CA: The Glenn Fry Lecture: Early Losses of Visual Function in Glaucoma. Optometry and Vision Science, 1995, 72: 359-370.
166. Johnson CA and Casson EJ: Effects of luminance, contrast and blur on visual acuity. Optometry and Vision Science, 1995, 72: 864-869.
167. Johnson CA: Occupational Psychophysics: Establishing job-related vision standards. Vision Science and its Applications, J Opt Soc Am Technical Digest Series, 1995, pp 242-245.
168. Fendrich R, Wessinger CM, Marshall D and Johnson CA: Stabilized image perimetry: Evaluating the influence of eye movements on perimetry data. Vision Science and its Applications, J Opt Soc Am Technical Digest Series, 1995, pp 254-257.
169. Johnson CA: Standardizing the measurement of visual fields for clinical research. Ophthalmology, 1996, 103: 186-189.
170. Johnson CA: Ocular hypertension treatment study - determination of progression. In Encounters in Glaucoma 3: How to ascertain progression and outcome (D. Anderson and S. Drance, eds), New York: Kugler Publications, 1996, 3: 165-182.
171. Johnson CA: The diagnostic value of Short Wavelength Automated Perimetry (SWAP). Current Opinion in Ophthalmology, 1996, 7: 54-58.

172. Demirel S and Johnson CA: Short Wavelength Automated Perimetry (SWAP) in ophthalmic practice. *Journal of the American Optometric Association*, 1996, 67: 451-456.
173. Demirel S and Johnson CA: Short Wavelength Automated Perimetry (SWAP). *Optometry Today*, 1996, September, pp. 30-32.
174. Johnson, CA: The basis for early losses of visual function in glaucoma. *Search on Glaucoma (German)*, 1996, 4; 4-7.
175. Sample PA, Johnson CA, Haegerstrom-Portnoy G and Adams AJ: The optimum parameters for Short-Wavelength Automated Perimetry. *Journal of Glaucoma*, 1996, 5: 375-383.
176. Johnson CA and Samuels SJ: Screening for glaucomatous visual field loss using the frequency-doubling contrast test. *Investigative Ophthalmology and Visual Science*, 1997, 38: 413-425.
177. Johnson CA, Nelson-Quigg JM and Morse LM: Wavelength dependent lens transmission properties in diabetics and non-diabetics. In *Basic and Clinical Applications of Vision Science. The Professor Jay M. Enoch Festschrift Volume (V. Lakshminarayanan, ed.)*. *Documenta Ophthalmologica Proceedings Series 60*, Amsterdam: Kluwer Publishers, 1997, 217-220.
178. Gutierrez P, Wilson MR, Johnson CA, Gordon M, Cioffi GA, Ritch R, Sherwood M, Curnow B and Mangione CM: The influence of glaucomatous visual field loss and health-related quality of life. *Archives of Ophthalmology*, 1997, 115: 777-784.

PUBLICATIONS (cont):

179. Keltner, JL, Johnson CA Spurr JO, Beck, RW and the Optic Neuritis Study Group: The Optic Neuritis Treatment Trial in the United States. *Japanese Journal of Ophthalmology. Centenary of the Japanese Ophthalmological Society*, 1996, S 17-04-07.
180. Johnson CA and Brintz N: California Department of the Youth Authority Vision Study: Final Report. Entry-level vision standards for Parole Agent, California Youth Authority. *California Youth Authority Technical Report*, 1996, pp 1-256.
181. Johnson CA and Brintz N: California Department of the Youth Authority Vision Study: Final Report. Entry-level vision standards for Academic Teachers in the California Department of the Youth Authority. *California Youth Authority Technical Report*, 1997, pp 1-103.
182. Sample PA, Johnson CA, Haegerstrom-Portnoy G and Adams AJ: Optimale parameter Fur die automatische Kurzwellen-Perimetrie. (German) *Search on Glaucoma*, 1997, 5: 52-56.
183. Yoshiyama KK and Johnson CA: Which method of flicker perimetry is most effective for detection of glaucomatous visual field loss ? *Investigative Ophthalmology and Visual Science*, 1997, 38: 2270-2277.
184. Johnson CA, Cioffi GA, Drance SM, Gaasterland D, Mills RP, Ashburn F, Hnik P, and Van Coevorden RE: A multicenter comparison study of the Humphrey Field Analyzer I and the Humphrey Field Analyzer II. *Ophthalmology*, 1997, 104: 1910-1917.
185. Johnson CA and Demirel S: The role of spatial and temporal factors in frequency doubling perimetry. *Perimetry Update*, 1996/1997, Amsterdam: Kugler Publishers, 1997, pp 13-19.
186. Demirel S and Johnson CA: Validation of a risk model for glaucomatous loss: Application to standard automated perimetry and SWAP. *Perimetry Update*, 1996/1997, Amsterdam: Kugler Publishers, 1997, pp 275-279.

187. Lynch S, Johnson CA and Demirel S: Is early damage in glaucoma selective for a particular cell type or pathway ? *Perimetry Update*, 1996/1997, Amsterdam: Kugler Publishers, 1997, pp 253-261.
188. Johnson CA: Visual function measures in experimental glaucoma (Editorial). *Journal of Glaucoma*, 1997, 6: 351-352.
189. Demirel S, Johnson CA, Fendrich R and Vingrys AJ: The slope of frequency-of-seeing curves in normal, amblyopic and pathologic vision *J Opt Soc Am Technical Digest Series*, 1997, pp 244-247.
190. Wall M, Johnson CA, Stanek KE, Nguyen R, Brito C and Keltner JL: Long- and short-term variability of automated perimetry results in optic neuritis patients and normal subjects. *Archives of Ophthalmology*, 1998, 116: 53-61.
191. Chauhan BC, Johnson CA: Test-retest variability characteristics of Frequency Doubling Perimetry and conventional perimetry in glaucoma patients and normal controls. *Investigative Ophthalmology and Visual Science*, 1999, 40: 648-656.
192. Johnson CA: Psychophysical endpoints. *European Journal of Ophthalmology*, 1999, 9: S48-S51 (Supplement).
193. Sullivan P, Cioffi GA, Wang L, Johnson CA, Van Buskirk EM, Sherman KR and Bacon DR: The influence of ocular pulsatility on scanning laser doppler flowmetry. *American Journal of Ophthalmology*, 1999, 128: 81-87.
194. Johnson CA, Cioffi GA and Van Buskirk, EM: Frequency doubling technology perimetry using a 24-2 stimulus presentation pattern. *Optometry and Vision Science*, 1999, 76: 571-581.

PUBLICATIONS (cont):

195. Adams CW, Bullimore MA Wall M, Fingeret M and Johnson CA: Normal aging effects for frequency doubling technology perimetry. *Optometry and Vision Science*, 1999, 76: 582-587.
196. Fingeret M and Johnson CA: The changing nature of glaucoma (Editorial), *Optometry and Vision Science*, 1999, 76: 515.
197. Keltner JL, Johnson CA, Spurr JO, Beck RW and the Optic Neuritis Study Group: Comparison of central and peripheral visual field properties in the Optic Neuritis Treatment Trial (ONTT). *Am J Ophthalmol*, 1999, 128: 543-553.
198. Johnson CA: California Department of Forestry and Fire Protection: Report and Recommendations, California State Personnel Board Technical Report, 1999, pp 1-61.
199. Johnson CA, Cioffi GA and Van Buskirk EM: Evaluation of two screening tests for frequency doubling technology perimetry. *Perimetry Update 1998/1999*, Amsterdam: Kugler Publications, 1999, pp. 103-109.
200. Demirel S, Thibos LA and Johnson CA: Age and eccentricity effects on grating detection and grating resolution automated perimetry. *Perimetry Update 1998/1999*, Amsterdam: Kugler Publications, 1999, pp. 229-239.
201. Johnson CA: Determination of glaucomatous visual field progression using standard automated perimetry and specialized visual field test procedures. Uppsala: The Gullstrand Foundation, 1999 (CD-ROM Publication).
202. Demirel S and Johnson CA: Isolation of short wavelength sensitive mechanisms in normal and glaucomatous visual field regions. *Journal of Glaucoma*, 2000, 9: 63-73.

203. Cioffi GA, Liebmann JM, Johnson CA and Weinreb RN: Structural-functional relationships of the optic nerve in glaucoma. (Editorial), *Journal of Glaucoma*, 2000, 9: 3-4.
204. Cello KE, Nelson-Quigg JM and Johnson CA: Frequency Doubling Technology (FDT) perimetry as a means of detecting glaucomatous visual field loss. *American Journal of Ophthalmology*, 2000, 129: 314-322.
205. Spry PGD, Bates AB, Johnson CA, Chauhan BC: Simulation of longitudinal threshold visual field data. *Investigative Ophthalmology and Visual Science*, 2000, 41: 2192-2200.
206. Nelson-Quigg JM, Cello KE and Johnson CA: Predicting binocular visual field sensitivity from monocular visual field results. *Investigative Ophthalmology and Visual Science*, 2000, 41: 2212-2221.
207. Keltner, JL, Johnson CA, Spurr JO, Kass MA, Gordon MO and the Ocular Hypertension Study Group: Confirmation of visual field abnormalities in the Ocular Hypertension Treatment Study (OHTS). *Archives of Ophthalmology*, 2000, 118: 1187-1194.
208. McKendrick AM and Johnson CA: Aliasing for rapidly counterphasing stimuli: a failure to demonstrate an M-cell sampling limit to resolution. *Journal of the Optical Society of America A*, 2000, 17: 1703-1712.
209. Johnson CA: Screening fields on the cutting edge. Promising developments designed to improve your ability to detect glaucoma at the early stages. *Review of Optometry*, 2000, 137: 1-5.
210. Bosworth CF, Sample PA, Johnson, CA, Weinreb RN: Current practice with standard automated perimetry. *Seminars in Ophthalmology*, 2000, 15: 172-187.

PUBLICATIONS (cont):

211. Johnson CA, Cioffi GA, Liebmann JR, Sample PA, Zangwill L, Weinreb RN: The relationship between structural and functional alterations in glaucoma: A review. *Seminars in Ophthalmology*, 2000, 15: 221-233.
212. Anderson D, Chauhan B, Johnson C, Katz J, Patella M, Drance S: Criteria for progression of glaucoma in clinical management and outcome studies. *American Journal of Ophthalmology*, 2000, 130: 827-829.
213. Johnson CA, Cello KE, Nelson-Quigg JM. Reply to Dr. Brusini "Frequency Doubling Technology perimetry for detection of glaucomatous visual field loss" (letter to the Editor). *Am J Ophthalmol*, 2000, 130: 860-861.
214. Cioffi GA, Mansberger S, Spry P, Johnson C, Van Buskirk EM: Frequency doubling perimetry and the detection of eye disease in the community. *Transactions of the American Ophthalmologic Society*, 2000, 98: 195-199.
215. Johnson CA: What is progression of visual field loss ? In *Glaucoma in the 21st Century* (RN Weinreb, Y Kitazawa, GK Kriegelstein, eds), London: Harcourt Health Communications, 2000, pp. 43-48.
216. Spry PGD, Gibbs ML, Johnson CA and Howard DL: Frequency Doubling Perimetry using a liquid crystal display. *Am J Ophthalmol*, 2001, 131: 332-338.
217. Johnson CA: Diagnosing and following glaucoma: Frequency Doubling Technology (FDT) Perimetry. *Glaucoma Perspectives in Practice*, 2001, 3.1: 7.

218. Spry PGD, Johnson CA, McKendrick AM and Turpin A: Variability components of standard automated perimetry and frequency doubling technology perimetry. *Investigative Ophthalmology and Visual Science*, 2001, 42: 1404-1410.
219. Fortune B, Johnson CA, Cioffi GA: The topographic relationship between multifocal electroretinographic (MERG) and behavioral perimetric measures of function in glaucoma. *Optometry And Vision Science*, 2001, 78: 206-214.
220. Johnson CA: Psychophysical measurement of glaucomatous damage. *Survey of Ophthalmology*, 2001, 45: S325-S331.
221. Demirel S and Johnson CA: Incidence and prevalence of Short Wavelength Automated Perimetry (SWAP) deficits in ocular hypertensive patients. *Am J Ophthalmol*, 2001, 131: 709-715.
222. Savage GL, Johnson CA and Howard DL: A comparison of non-invasive objective and subjective measurements of the optical density of human ocular media. *Optometry and Vision Science*, 2001, 78: 386-395.
223. Spry PGD and Johnson CA: Senescent changes of the normal visual field: an age-old problem. *Optometry and Vision Science*, 2001, 78: 436-441.
224. Fingeret M, Smith E, Reminick L and Johnson CA: Frequency doubling perimetry as a screening tool in the general ophthalmic elderly population. In *Perimetry Update 2000/2001* (M. Wall and R.P. Mills, eds), Amsterdam: Kugler Publications, 2001, pp 271-275.
225. Fortune B, Johnson CA, Cioffi GA: Does the multifocal electroretinogram (mERG) provide a topographic, objective measure of ganglion cell function in glaucoma ? In *Perimetry Update 2000/2001* (M. Wall and R.P. Mills, eds), The Hague: Kugler Publications, 2001, pp 9-17.
226. Turpin A, Johnson CA and Spry PGD: Development of a maximum likelihood procedure for Short Wavelength Automated Perimetry (SWAP), In *Perimetry Update 2000/2001* (M. Wall and R.P. Mills, eds), The Hague: Kugler Publications, 2001, pp 139-147.

PUBLICATIONS (cont):

227. Spry PGD, Johnson CA, Bates AB and Chauhan BC: Discriminatory power of pointwise linear regression for detection of glaucomatous visual field defect progression. In *Perimetry Update 2000/2001* (M. Wall and R.P. Mills, eds), The Hague: Kugler Publications, 2001, pp 363-369.
228. Vesti E, Spry PGD, Chauhan BC and Johnson CA: Sensitivity differences between real patient and computer simulated visual fields. In *Perimetry Update 2000/2001* (M. Wall and R.P. Mills, eds), The Hague: Kugler Publications, 2001, pp 357.
229. Sample, P.A. and Johnson, C.A.: Functional assessment of glaucoma. *Journal of Glaucoma Supplement*, 2001, 10: S49-S52.
230. Moke PS, Turpin AH, Beck RW, Holmes JM, Repka MX, Birch EE, Hertle RW, Kraker RT, Miller JM and Johnson CA: Development of a computerized method of visual acuity testing: Adaptation of the Amblyopia Treatment Study Visual Acuity Testing Protocol for Children. *American Journal of Ophthalmology*, 2001, 132: 903-909.
231. Fortune B and Johnson CA: Decline of photopic multifocal electroretinogram responses with age is due primarily to pre-retinal optical factors. *Journal of the Optical Society of America*, 2002, 19: 173-184.
232. Turpin A, McKendrick AM, Johnson CA and Vingrys AJ: Development of efficient threshold strategies for Frequency Doubling Technology perimetry using computer simulation. *Investigative Ophthalmology and Visual Science*, 2002, 43: 322-331.

233. Anderson AJ and Johnson CA: Mechanisms isolated by frequency doubling technology perimetry. *Investigative Ophthalmology and Visual Science*, 2002, 43: 398-401.
234. Vesti E, Spry PGD, Chauhan BC and Johnson CA: Sensitivity differences between real patient and computer simulated visual fields. *Journal of Glaucoma*, 2002, 11: 35-45.
235. McKendrick AM, Cioffi GA and Johnson CA: Short wavelength sensitivity deficits in patients with migraine. *Archives of Ophthalmology*, 2002, 120: 154-161.
236. Spry PGD, Johnson CA, Bates AB, Turpin A and Chauhan BC: Spatial and temporal processing of threshold data for detection of progressive glaucomatous visual field loss. *Archives of Ophthalmology*, 2002, 120: 173-180.
237. Turpin A, McKendrick AM, Johnson CA and Vingrys AJ: Performance of efficient test procedures for Frequency Doubling Technology (FDT) perimetry in normal and glaucomatous eyes. *Investigative Ophthalmology and Visual Science*, 2002, 43: 709-715.
238. Anderson AJ and Johnson CA: Effect of dichoptic adaptation on frequency-doubling perimetry. *Optometry and Vision Science*, 2002, 79: 88-92.
239. Johnson CA, Keltner JL, Cello KE, Edwards M, Kass MA, Gordon MO, Budenz DL, Gaasterland DE, Werner E and the Ocular Hypertension Study Group: Baseline visual field characteristics and follow-up quality control measures in the Ocular Hypertension Treatment Study. *Ophthalmology*, 2002, 109: 432-437.
240. Johnson CA: Recent developments in automated perimetry in glaucoma diagnosis and management. *Current Opinion in Ophthalmology*, 2002, 13:77-84.
241. Spry PGD and Johnson CA: Identification of progressive glaucomatous visual field loss. *Survey of Ophthalmology*, 2002, 47: 158-173.
242. Anderson AJ and Johnson CA: Effect of spatial waveform on apparent spatial frequency. *Vision Research*, 2002, 42: 725-732.

PUBLICATIONS (cont):

243. Brigell M and Johnson CA. Letter to the Editor concerning "Visual fields and tiagabine: a quandary." *Siezure*, 2002, 11:139-140.
244. McKendrick AM, Johnson CA, Anderson AJ and Fortune B. Elevated vernier acuity thresholds in glaucoma. *Investigative Ophthalmology and Visual Science*, 2002, 43: 1393-1399.
245. Johnson CA: Book Review of "Work and the Eye" by Rachel North. *Cornea*, 2002, 21: 437-438.
246. Budenz DL, Rhee P, Feuer WJ, McSoley J, Johnson CA and Anderson DR: Sensitivity and Specificity of the Swedish Interactive Test Algorithm (SITA) for glaucomatous visual field defects. *Ophthalmology*, 2002, 109: 1052-1058.
247. Kass MA, Heuer DK, Higginbotham EJ, Johnson CA, Keltner JL, Parrish RK, Wilson MR, Gordon MO and the Ocular Hypertension Treatment Study Group: The Ocular Hypertension Treatment Study: Safety and efficacy of topical ocular hypotensive medication in preventing or delaying the onset of primary open angle glaucoma. *Archives of Ophthalmology*, 2002, 120: 701-713.
248. Gordon MO, Beiser JA, Brandt JD, Heuer DK, Higginbotham EJ, Johnson CA, Keltner JL, Miller JP, Parrish RK, Wilson MR, Kass MA and the Ocular Hypertension Treatment Study Group: The Ocular Hypertension Treatment Study: Baseline factors that predict the development of primary open angle glaucoma. *Archives of Ophthalmology*, 2002, 120: 714-720.

249. Spry PGD and Johnson CA: Within-test variability of frequency doubling perimetry using a 24-2 test pattern. *Journal of Glaucoma*, 2002, 11, 315-320.
250. Sample PA, Goldbaum MH, Chan K, Boden C, Lee TW, Vasile C, Boehm A, Sejnowski T, Johnson CA and Weinreb RN: Using machine classifiers to identify change glaucomatous change earlier in standard visual fields. *Invest Ophthalmol Vis Sci*, 2002,43: 2660-2665.
251. Wilson MR, Kosoko O, Cowan CL, Sample PA, Johnson CA, Haynatzki G, Enger C and Crandall D: Progression of visual field loss in untreated patients and suspects in St. Lucia, West Indies. *American Journal of Ophthalmology*, 2002, 134: 399-405.
252. Budenz, DL, Rhee P, Feuer WJ, McSoley J, Johnson CA and Anderson DR: Comparison of glaucomatous visual field defects using standard Full Threshold and the Swedish Interactive Threshold Algorithms (SITA Standard and SITA Fast). *Archives of Ophthalmology*, 2002, 120: 1136-1141.
253. Demirel S and Johnson CA: Prävalenz und inzidenz der mittels kurzweiliger Blau/Gelb-Perimetrie bestimmten Gesichtsfelddefekte bei Patienten mit okulärer Hypertonie. *Search on Glaucoma*, 2002, 10: 29-33.
254. Ennis FA and Johnson CA: Are high-pass resolution perimetry targets sampling limited or optically limited ? *Optometry and Vision Science*, 2002, 79: 506-511.
255. Fortune B, Bearnse MA, Cioffi GA and Johnson CA: Selective loss of an oscillatory component from temporal retinal multifocal ERG responses in glaucoma. *Investigative Ophthalmology and Visual Science*, 2002, 43: 2638-2647.
256. Johnson CA, Sample PA, Cioffi GA, Liebmann JR and Weinreb RN: Structure and Function Evaluation (SAFE): I. Criteria for glaucomatous visual field loss. *American Journal of Ophthalmology*, 2002, 134: 177-185.
257. Spry PGD, Johnson CA, McKendrick AM and Turpin A: Measurement error of visual field tests in glaucoma. *British Journal of Ophthalmology*, 2003, 87: 107-112.

PUBLICATIONS (cont):

258. Beck RW, Moke PS, Turpin AH, Ferris FL, SanGiovanni JP, Johnson CA, Birch EE, Chandler DL, Cox TA, Blair RC, Kraker RT. A computerized method of visual acuity testing: Adaptation of the early treatment of diabetic retinopathy study testing protocol. *Am J Ophthalmol* 2003; 135:194-205.
259. Johnson CA, Sample PA, Zangwill LM, Vasile CG, Cioffi GA, Liebmann JR, Weinreb RN: Structure and Function Evaluation (SAFE): II. Comparison of optic disc and visual field characteristics. *American Journal of Ophthalmology*, 2003, 135: 148-154.
260. McKendrick AM, Anderson AJ, Johnson CA and Fortune B: Appearance of the frequency doubling stimulus at threshold, in normals and glaucoma patients. *Investigative Ophthalmology and Visual Science*, 2003, 44: 1111-1116.
261. Keltner JL, Johnson CA, Cello KE, Bandermann SE, Edwards MA, Kass MA, Gordon MO and the Ocular Hypertension Treatment Study Group: Classification of visual field abnormalities in the ocular hypertension treatment study. *Archives of Ophthalmology*, 2003, 121: 643-650.
262. McKendrick AM, Anderson AJ, Johnson CA, Fortune B: Letter: Appearance of the frequency doubling stimulus in normal subjects and patients with glaucoma. *Investigative Ophthalmology and Visual Science*, 2003, (e-letters).

263. Vesti E, Johnson CA, Chauhan BC. Comparison of different methods for detecting glaucomatous visual field progression. *Investigative Ophthalmology and Visual Science*, 2003, 44: 3873-3879.
264. Anderson AJ and Johnson CA: Frequency Doubling Technology perimetry and optical defocus. *Investigative Ophthalmology and Visual Science*, 2003, 44: 4147-4152.
265. Johnson CA. Frequency Doubling Technology (FDT) Perimetry. *Glaucoma Management News*, 2003, 1:1,7,8.
266. Turpin A, McKendrick AM, Johnson CA and Vingrys AJ: Properties of perimetric threshold estimates from Full Threshold, ZEST and SITA-like strategies as determined by computer simulation. *Investigative Ophthalmology and Visual Science*, 2003, 44: 4787-4795.
267. Anderson AJ and Johnson CA: Anatomy of a super-group: does a criterion of normal perimetric performance generate a super-normal population ? *Investigative Ophthalmology and Visual Science*, 2003, 44: 5043-5048.
268. Fingeret M. and Johnson CA: The new Humphrey Matrix FDT. *Optometric Management*, 2003, December, 1-8.
269. Johnson CA: Establishing thresholds with Bayesian forecasting. *Review of Optometry*, 2004, 7-8.
270. Fingeret M. and Johnson C.A. Peripheral visual field testing rarely necessary. *Primary Care Optometry News*, 2004, 9:26-28.
271. Johnson CA, Spry PGD: Cumulative defect (Bebie') curves for frequency doubling technology (FDT) perimetry. *Perimetry Update 2002/2003* (Henson and Wall, eds), The Hague: Kugler Publications, 2004, pp 3-12.
272. Spry PGD and Johnson CA: Variability components of standard perimetry. *Perimetry Update 2002/2003* (Henson and Wall, eds), The Hague: Kugler Publications, 2004, pp 37-38.
273. Vesti E, Chauhan BC and Johnson CA: Comparison of different methods for detecting glaucomatous visual field progression. *Perimetry Update 2002/2003* (Henson and Wall, eds), The Hague: Kugler Publications, 2004, pp 39-40.

PUBLICATIONS (cont):

274. Fortune B, Goh K, Demirel S, Novitsky K, Mansberger SL, Johnson CA and Cioffi GA: Detection of glaucomatous visual field loss using multifocal VEP. *Perimetry Update 2002/2003* (Henson and Wall, eds), The Hague: Kugler Publications, 2004, pp 251-260.
275. Ennis FA, Blachly C, Cioffi GA, Mansberger SL and Johnson CA: The effect of contour-line drawing criteria on optic disc parameters as measured with the HRT. *Perimetry Update 2002/2003* (Henson and Wall, eds), The Hague: Kugler Publications, 2004, pp 329-330.
276. Johnson CA, Fingeret M, and Iwase I. Frequency Doubling Technology Perimetry. In *Glaucoma Diagnosis, Structure and Function* (RN Weinreb and EL Greve, eds), The Hague: Kugler Publications, 2004, pp 109-117.
277. Sample PA, Araie M, Chauhan BC, Heijl A and Johnson CA: Comparison of methods for measurement of function. In *Glaucoma Diagnosis, Structure and Function* (RN Weinreb and EL Greve, eds), The Hague: Kugler Publications, 2004, pp 70-74.
278. Johnson CA. Software Upgrades for Automated Perimetry. *Glaucoma Today*, 2004, 2: 32-34.

279. Berson EL, Rosner B, Sandberg MA, Weigel-DiFranco, C, Moser A, Brockhurst RJ, Hayes KC, Johnson CA, Anderson EJ, Gaudio AR, Willett WC and Schafer EJ: Clinical Trial of Docosahexanoic Acid in Patients with Retinitis Pigmentosa on Vitamin A Treatment. *Archives of Ophthalmology*, 2004, 122: 1297-1305.
280. Berson EL, Rosner B, Sandberg MA, Weigel-DiFranco, C, Moser A, Brockhurst RJ, Hayes KC, Johnson CA, Anderson EJ, Gaudio AR, Willett WC and Schafer EJ: Further Evaluation of Docosahexanoic Acid in Patients with Retinitis Pigmentosa on Vitamin A Treatment: Subgroup Analysis. *Archives of Ophthalmology*, 2004, 122: 1306-1314.
281. Johnson CA: Frequency Doubling Technology Perimetry for Neuro-Ophthalmological Diseases. (Editorial), *British Journal of Ophthalmology*. 2004, 88:1232-1233.
282. Fortune B, Zhang X, Hood DC, Demirel S, and Johnson CA: Normative ranges and specificity of the multifocal VEP. *Documenta Ophthalmologica*, 2004, 109: 87-100.
283. Spry PGD, Johnson CA, Cioffi GA and Mansberger SL: Psychophysical investigation of ganglion cell loss in early glaucoma. *Journal of Glaucoma*, 2005, 14: 11-19.
284. Johnson CA: Early diagnosis with functional tests: Myths and reality. *Glaucoma Today*, 2005, 3: 28-31.
285. Mansberger SL, Johnson CA, Cioffi GA, Choi D, Krishnadas SR, Srinivasan M, Dip VB, Kim U, Smith SD, Wilkins JH and Gritz DC: Predictive value of Frequency Doubling Technology perimetry for detecting glaucoma in a developing country. *Journal of Glaucoma*, 2005, 14: 128-134.
286. Anderson AJ, Johnson CA, Fingeret M, Keltner JL, Spry PGD, Wall M, Werner JS: Characteristics of the normative database for the Humphrey Matrix perimeter. *Investigative Ophthalmology and Visual Science*, 2005, 46: 1540-1548.
287. Fingeret M, Flanagan J, Johnson CA, Cavallerano A, Semes L: Letter to the editor concerning "Glaucoma Without Cupping", *Journal of the American Optometric Association*, 2005, 76: 223-224.
288. Hood DC, Zhang X, Rodarte C, Yang EB, Ohri N, Fortune B, Johnson CA: Determining abnormal interocular latencies of multifocal visual evoked potentials. *Documenta Ophthalmologica*, 2004, 109: 177-187.

PUBLICATIONS (cont):

289. Hood DC, Ohri N, Yang EB, Rodarte C, Zhang X, Fortune B, Johnson CA: Determining abnormal latencies of multifocal visual evoked potentials: A monocular analysis. *Documenta Ophthalmologica*, 2004, 109: 189-199.
290. Mansberger SL, Romero FC, Smith NH, Johnson CA, Cioffi GA, Edmunds B, Francis P, Demirel S, Choi D and Becker TM: Causes of visual impairment and common eye problems in Northwest American Indians and Alaskan natives. *Am J public Health*, 2005, 15: 881-886.
291. Johnson CA: Vision Requirements for Drivers License Examiners. *Optometry and Vision Science*, 2005, 82: 779-789.
292. Keltner JL, Johnson CA, Levine RA, Fan JJ, Cello KE, Kass MA, Gordon MO, and the Ocular Hypertension Treatment Study Group: Normal Visual Fields Following Glaucomatous Visual Field Endpoints in the Ocular Hypertension Treatment Study (OHTS). *Archives of Ophthalmology*, 2005, 123: 2101-1206.

293. Gardiner SK, Johnson CA, Cioffi GA: Evaluation of the structure-function relationship in glaucoma. *Invest Ophthalmol Vis Sci*, 2005, 46: 3712-3717.
294. Gardiner SK, Demirel S, Johnson CA: Modeling the sensitivity to variability relationship in perimetry. *Vision Research*, 2006, 46: 1732-1745.
295. Johnson CA: Visual field variability. *OGS E-Journal*, 2006, 1(2): 13.
296. Johnson CA: Clinical Trial Review. *OGS E-Journal*, 2006, 1(2): 16-18.
297. Johnson CA: The two dollar lesson (letter to the editor), *Eyenet*, March 2006, page 9.
298. Zeppieri M and Johnson CA: Frequency Doubling Technology (FDT) Perimetry, 2006, IPS Web Site, <http://webeye.ophth.uiowa.edu/ips/>.
299. Fortune B, Demirel S, Zhang X, Hood DC, Johnson CA: Repeatability of the normal multifocal VEP: implications for detecting progression. *Journal of Glaucoma*, 2006, 15: 131-141.
300. Dolderer J, Vonthein R, Johnson CA, Schiefer U, Hart W: Scotoma mapping by semi-automated kinetic perimetry – The effects of stimulus properties and the speed of subjects' responses. *Acta Ophthalmologica Scandinavica*, 2006, 84: 338-344.
301. Anderson AJ and Johnson CA. Comparison of the ASA, MOBS and ZEST threshold methods. *Vision Research*, 2006, 46: 2403-2411.
302. Gardiner SK, Johnson CA, Spry PGD: Normal age-related sensitivity loss for a variety of visual functions throughout the central visual field. *Optometry and Vision Science*, 2006, 83: 438-443.
303. Gardiner SL, Anderson DR, Fingeret M, McSoley JJ, Johnson CA. Evaluation of decision rules for frequency doubling technology (FDT) screening tests. *Optometry and Vision Science*, 2006, 83: 432-437.
304. Levine RA, Demirel S, Fan JJ, Keltner JL, Johnson CA, Kass MA, Gordon MO and the Ocular Hypertension Treatment Study Group: Asymmetries and visual field summaries as predictors of glaucoma in the ocular hypertension treatment study. *Investigative Ophthalmology and Vision Science*, 2006, 47: 3896-3903.
305. Keltner JL, Johnson CA, Anderson DR, Levine RA, Fan J, Cello KE, Quigley HA, Budenz DL, Parrish RK, Kass MA, Gordon MO and the Ocular Hypertension Treatment Study Group: The association between glaucomatous visual fields and optic nerve head features in the Ocular Hypertension Treatment Study (OHTS). *Ophthalmology*, 2006, 113: 1603-1612.

PUBLICATIONS (cont):

306. Newkirk M, Gardiner SK, Demirel S, Johnson CA: Assessment of false positives with the Humphrey Field Analyzer II Perimeter with the SITA Algorithm., *Investigative Ophthalmology and Vision Science*, 2006, 47: 4632-4637.
307. Schiefer U, Nowomiejska K, Krapp E, Patzold J, Johnson CA: K-TRAIN - A computer-based interactive training program for practicing kinetic perimetry: evaluation of acceptance and success rate. *Graefe's Arch Clin Exp Ophthalmol*, 2006, 244: 1300-1309.
308. Quinn LM, Wheeler DT, Gardiner SK, Newkirk M, Johnson CA: Frequency Doubling Technology (FDT) perimetry in normal children. *American Journal of Ophthalmology*, 2006, 142:983-989.
309. Johnson CA: Flicker Perimetry, 2007, IPS Web Site, <http://webeye.ophth.uiowa.edu/ips/>.

310. Mansberger SL, Johnson CA, Cioffi GA. The results of screening frequency doubling technology perimetry in different locations of the community. *Journal of Glaucoma*, 2006, *J Glaucoma*, 16: 73-80.
311. Johnson CA: Short Wavelength Automated Perimetry (SWAP), 2007 IPS Web Site, <http://webeye.ophth.uiowa.edu/ips/>
312. Fortune B, Demirel S, Zhang X, Hood DC, Patterson E, Jamil A, Mansberger SL, Cioffi GA, Johnson CA: Comparing Multifocal Visual Evoked Potentials (mfVEP) and Standard Automated Perimetry (SAP) in High-Risk Ocular Hypertension and Early Glaucoma. *Investigative Ophthalmology and Vision Science*, 2007, 48: 1173-1180.
313. Brusini P, Johnson CA: Staging functional damage in glaucoma: Review of different classification methods. *Survey of Ophthalmology*, 2007, 52: 156-179.
314. Mansberger SL, Edmunds B, Johnson CA, Kent KJ, Cioffi GA: Community visual field screening: prevalence of follow-up and factors associated with follow-up of participants with abnormal Frequency Doubling Perimetry Technology results. *Ophthalmic Epidemiology*, 2007, 14: 1-7.
315. Rein, DB, Wirth KE, Johnson CA, Lee PP: Estimating Quality-Adjusted Life Year Losses Associated with Visual Field Deficits Using Methodological Approaches. *Ophthalmic Epidemiology*, 2007, 14: 258-264.
316. Johnson CA. The future for assessing functional visual field loss in glaucoma. *Glaucoma Today*, 2007, 5: 37-39.
317. Keltner JL, Johnson CA, Cello KE, Bandermann SE, Fan JJ, Levine RA, Kass MA, Gordon MO, Ocular Hypertension Study Group: Visual field quality control in the Ocular Hypertension Treatment Study (OHTS). *Journal of Glaucoma*, 2007, 16: 665-669.
318. Monaco WA, Kalb JT, Johnson CA. Motion detection in the far peripheral visual field. Army Research Laboratory Technical Report, ARL-MR-0684, 2007, 1-19.
319. Huang, C, Carolan J, Redline D, Tavarati P, Woodward KR, Johnson CA, Wall M, Keltner JL. Humphrey Matrix Frequency Doubling Perimetry for neuro-ophthalmic disorders of the optic nerve and chiasm: Comparison with Humphrey SITA Standard 24-2. *Investigative Ophthalmology and Visual Science*, 2008, 49: 917-923.
320. Tavarati P, Woodward K, Keltner J, Johnson CA, Redline D, Carolan J, Huang C, Wall M. Sensitivity and specificity of the Humphrey Matrix to detect homonymous hemianopsias. *Investigative Ophthalmology and Visual Science*, 2008, 49: 924-928.

PUBLICATIONS (cont):

321. Nevalainen J, Krapp E, Petzold J, Mildenerger I, Besch D, Vonthein R, Keltner JL, Johnson CA, Schiefer U. Visual field defects in acute optic neuritis – distribution of different types of defect pattern, assessed with threshold-related perimetry ensuring high spatial resolution. *Graefes Arch Clin Exp Ophthalmology*, 2008, 246: 599-607.
322. Fortune B, Zhang X, Hood DC, Demirel S, Patterson E, Jamil A, Mansberger SL, Cioffi GA, Johnson CA: Effect of recording duration on the diagnostic performance of multifocal visual evoked potentials in high-risk ocular hypertension and early glaucoma. *Journal of Glaucoma*, 2008, 17: 175-182.

323. Wall M, Brito CF, Woodward KR, Doyle CK, Kardon RH, Johnson CA. Total Deviation Probability Plots for Stimulus Size V Perimetry: A Comparison With Size III Stimuli. *Arch Ophthalmol*. 2008, 126: 473-479.
324. Zeppieri M, Demirel S, Kent K, Johnson CA. Perceived spatial frequency of sinusoidal gratings. *Optometry and Vision Science*, 2008, 85: 318-329.
325. Gardiner SK, Swanson WH, Demirel S, McKendrick AM, Turpin A, Johnson CA. A two-stage neural spiking model of visual detection produces realistic psychometric functions. *Vision Research*, 2008, 48: 1859-1869.
326. Nevalainen J, Paetzold J, Krapp E, Vonthein R, Johnson CA, Schiefer U. The Use of Semi-automated Kinetic Perimetry (SKP) to Monitor Advanced Glaucomatous Visual Field Loss. *Graefes Arch Clin Exp Ophthalmol* 2008, 246:1331–1339.
327. Johnson CA. Occupational psychophysics to establish vision requirements. *Optometry and Vision Science*, 2008, 85: 910-923.
328. Johnson CA. Frequency Doubling Technology (FDT) perimetry for detection of glaucomatous visual field loss. Effectiveness of the FDT and Humphrey Matrix perimeters. *Glaucoma Today*, 2008, Sept/Oct, 26-28.
329. Johnson CA. Is FDT better than SWAP for the detection of early glaucoma ?, *International Glaucoma Review*, 2008, 10-2: 7-8.
330. Gardiner SK, Demirel S, Johnson CA. Is there evidence for continued learning over multiple years in clinical perimetry ? *Optometry and Visual Science*, 2008, 85: 1043-1048.
331. Wall M, Doyle C, Brito C, Woodward KR, Johnson C: A comparison of catch trial methods used in standard automated perimetry in glaucoma patients, *Journal of Glaucoma*, 2008, 17: 626-630.
332. Schiefer U, Pascual J, Sample PA, Edmunds B, Weleber RG, Johnson CA, Staubach F, Lagreze WA, Hoffman EM, Pfeiffer N, Krapp E, Vonthein R, Paetzold J. Comparison of the new “German Adaptive Threshold Estimation” (GATE) strategy with conventional static threshold estimating perimetry and with the SITA procedure., *Investigative Ophthalmology and Visual Science*, 2009, 50: 488-494.
333. Demirel S, Fortune B, Fan JJ, Levine RA, Torres R, Nguyen H, Mansberger SL, Gardiner SK, Cioffi GA, Johnson CA. Predicting progressive glaucomatous optic neuropathy using baseline standard automated perimetry data. *Investigative Ophthalmology and Visual Science*, 2009, 50: 674-680.
334. Johnson CA. The decision tree in glaucoma diagnosis: our knowledge of glaucoma is rapidly expanding. New knowledge about glaucoma can lead to earlier clinical intervention., *Review of Optometry*, 2009, 146.3: 100-108.
335. Wall M, Johnson CA, Kardon RH, Crabb DP. Use of a Continuous Probability Scale to Display Visual Field Damage, *Archives of Ophthalmology*, 2009, 127: 749-756.

PUBLICATIONS (cont):

336. Johnson CA. Determining progression in glaucoma. *Glaucoma Today*, 2009, 7: 22-27.
337. Zeppieri M, Brusini P, Parisi L, Johnson CA, Sampaolesi R, Salvatet ML. Pulsar perimetry in the diagnosis of early glaucoma. *American Journal of Ophthalmology*, 2010, 149: 102-112.

338. Keltner JL, Johnson CA, Cello KE, Dontchev M, Gal RL, Beck RW, Optic Neuritis Study Group. Visual field profile of optic neuritis: A final follow-up report from the Optic Neuritis Treatment Trial from Baseline through 15 years. *Arch Ophthalmol.*, 2010, 128: 330-337.
339. Kass MA, Gordon MO, Gao F, Heuer DK, Higginbotham EJ, Johnson CA, Keltner JL Miller JP, Parrish RK, Wilson MR, Ocular Hypertension Treatment Study Group. Delaying treatment of ocular hypertension: The Ocular Hypertension Treatment Study. *Arch Ophthalmol*, 2010, 128: 276-287.
340. Brown RH, Humayun M, Johnson CA, Latina MA, Lewis RA, Shields MB. The pathway to medical innovation. *Glaucoma Today*, 2010, 8: 30-37.
341. Berson EL, Rosner B, Sandberg MA, Weigel-DiFranco C, Brockhurst RJ, Hayes KC, Johnson EJ, Anderson EJ, Johnson CA, Gaudio AR, Willett WC, Schaefer EJ. Clinical trial of Lutein in patients with retinitis pigmentosa receiving vitamin A. *Archives of Ophthalmology*, 2010, 128: 403-411.
342. O'Leary N, Crabb DP, Mansberger SL, Fortune BA, Twa MD, Lloyd MJ, Kotecha A, Garway-Heath DF, Cioffi GA, Johnson CA. Glaucomatous progression in series of stereo-paired photographs and Heidelberg Retina Tomography. *Archives of Ophthalmology*, 2010, 128: 560-568.

BOOKS AND CHAPTERS

343. Drance SM, Keltner JL and Johnson CA: Automated and semi-automated perimetry. In: Focal Points: Clinical Modules for Ophthalmologists, Module #11, American Academy of Ophthalmology, San Francisco, 1983. Keltner JL and Johnson CA: The Synemed "Fieldmaster" perimeters. In: Automated Perimetry in Glaucoma, Chapter 8, SM Drance and DR Anderson (eds), Grune & Stratton, Orlando, 1985, pp 89-98.
344. Mannis MJ, Zadnik K and Johnson CA: Contrast Sensitivity: A viewpoint for clinicians. In: Glare and Contrast Sensitivity for Clinicians, Chapter 1, MP Nadler, D. Miller and DJ Nadler (eds), Springer-Verlag, Berlin, 1990, pp 1-4.
345. Johnson CA: Evaluation of visual function (Chapter 17), Duane's Foundations of Clinical Ophthalmology (Tasman and Jaeger, eds), pp. 1-20, Lippincott: Philadelphia, 1994. Johnson CA: Perimetry and Visual Field Testing. In *The Optometric Examination: Measurements and Findings*. (Karla Zadnik, editor), Orlando: W.B. Saunders, 1996.
346. Johnson CA and Keltner JL: "Principles and Techniques of the Examination of the Visual Sensory System", Chapter 7 in Walsh and Hoyt's Textbook of Neuro-Ophthalmology (Miller and Newman, eds), 1998, pp. 153-235.
347. Johnson CA, Wall M, Fingeret M and Lalle P: A Primer for Frequency Doubling Technology Perimetry. Skaneateles, New York: Welch Allyn, 1998.
348. Spry PDG and Johnson CA: Assessing visual function in clinical practice. In Liebmann J, ed., *Ophthalmology Clinics of North America*, New York: W.B. Saunders, 2000, vol 13, number 3, 361-382.
349. Johnson CA: New Developments in Perimetry. Chapter 18 in Fingeret and Lewis (eds). *Primary Care of the Glaucomas*. New York: McGraw-Hill., 2000, 271-294 .
350. Johnson CA: What is progression of visual field loss?. Chapter 7, *Glaucoma in the 21st Century*, London: Harcourt Health Communications, 2000, 43-48.

BOOKS AND CHAPTERS (cont):

351. Fortune B, Cioffi GA, Johnson CA, Kondo Y, Mochizuki K, Kitazawa Y: The relationship between multifocal electroretinography and standard automated perimetry findings in normal-tension glaucoma. Chapter 11, *Glaucoma in the 21st Century*, London: Harcourt Health Communications, 2000, 73-78.
352. Johnson CA: Chapter 13: Testing Visual Function in Glaucoma, in Morrison and Pollack (eds), *Glaucoma: Science and Practice*, 2002, New York: Thieme Publishers, pp. 125-147.
353. Spry, PGD and Johnson CA: *Advances in Automated Perimetry*. Focal Points Clinical Module for the American Academy of Ophthalmology, 2002, vol. XX, no. 10, 1-12.
354. Johnson CA: The use of a visual illusion to detect glaucoma: Frequency Doubling Technology Perimetry. In Andre, Owens and Harvey (eds.), *Visual Perception: The Influence of H. W. Leibowitz*. 2002, American Psychological Association Books, 2003.
355. McKendrick AM and Johnson CA: Temporal Properties of Vision, *Adler's Physiology of the Eye*, 10th ed (A. Alm and P. Kaufmann, eds), Section 9: Visual Perception, Chapter 20, 2002, St. Louis: C.V. Mosby, pp 511-530.
356. Johnson CA and Sample PA: Perimetry and Visual Field Testing, *Adler's Physiology of the Eye*, 10th ed (A. Alm and P. Kaufmann, eds), Section 9: Visual Perception, Chapter 22, 2002, St. Louis: C.V. Mosby, pp 552-577.
357. Johnson CA: Update on perimetry: New Developments. *Glaucoma in the New Millennium Proceedings of the 49th Annual Symposium of the New Orleans Academy of Ophthalmology*. The Hague: Kugler Publications, 2003, pp. 185-206.
358. Johnson CA: Questions directed to Dr. Johnson in his absence. *Glaucoma in the New Millennium: Proceedings of the 49th Annual Symposium of the New Orleans Academy of Ophthalmology*. The Hague: Kugler Publications, 2003, pp. 207-209.
359. Anderson AJ and Johnson CA: Frequency-doubling technology perimetry. In Sample PA and Girkin CA, ed., *Ophthalmology Clinics of North America*, Philadelphia: W.B. Saunders, 2003, vol 16, number 2, 213-225.
360. Wall M and Johnson CA: Principles and Techniques of the Examination of the Visual Sensory System, Chapter 2, *Walsh and Hoyt's Textbook of Neuro-Ophthalmology (Volume 1)*, Philadelphia: Lippincott, Williams and Wilkens, 2005, pp 83-149.
361. Cioffi GA, Johnson CA: Structural / Functional Relationships in Glaucoma. In *The Essential HRT Primer*, 2005, Heidelberg Engineering, Chapter 6, pp 60-69.
362. Johnson CA: Evaluation of visual field loss in glaucoma: Progression and classification of perimetric damage. *Eye on the Bayou: New Concepts in Glaucoma, Cataract and Neuro-Ophthalmology*. Transactions of the 54th Annual Symposium of the New Orleans Academy of Ophthalmology, The Hague: Kugler Publications, 2006, pp 147-157.
363. Johnson CA: New developments in perimetry, including SITA, ZEST and TOP. *Eye on the Bayou: New Concepts in Glaucoma, Cataract and Neuro-Ophthalmology*. Transactions of the 54th Annual Symposium of the New Orleans Academy of Ophthalmology, The Hague: Kugler Publications, 2006, pp 137-146.
364. Johnson CA: Update on Short Wavelength Automated Perimetry (SWAP) and Frequency Doubling Technology (FDT) in glaucoma and neuro-ophthalmologic disorders. *Eye on the Bayou: New*

- Concepts in Glaucoma, Cataract and Neuro-Ophthalmology. Transactions of the 54th Annual Symposium of the New Orleans Academy of Ophthalmology, The Hague: Kugler Publications, 2006, pp 123-133.
365. Johnson CA. Chapter 7, What visual field tests should I use in my glaucoma suspects? My patients with manifest glaucoma? Curbside Conversations in Glaucoma (Heuer, Gedde and Lewis, eds). Thorofare, New Jersey: Slack Incorporated, 2008, 31-39.
366. Johnson CA: Evaluation of visual function (Chapter 17), Duane's Ophthalmology Solutions (Tasman and Jaeger, eds), Lippincott: Philadelphia, 2008, pp 1-51 (ebook, available at <http://www.duanessolution.com/pt/re/duanes/home.htm;jsessionid=L3LDvpnsstpTz9HHM9T6qS2ZdndyHRwbhTgFXQdnpOy4W189qhpY!536197444!181195628!8091!-1>)
367. Johnson CA, Demirel S: Psychophysiology of Glaucoma: From form to function, Chapter 29 in *Ophthalmology Research: Mechanisms of the Glaucomas* Edited by: M. B. Shields, J. Tombran-Tink, and C. J. Barnstable © Humana Press, Totowa, NJ, 2008, pp. 527-548.
368. Spry, PGD, Johnson CA, Anderson AJ, Gunvant P, Fingeret M, Keltner JL, Wall M, Werner JS: A Primer for Frequency Doubling Technology (FDT) Perimetry Using the Humphrey Matrix. Dublin, CA: Carl Zeiss Meditec., 2008.
369. Johnson CA. Advanced psychophysical tests for glaucoma. Chapter 10.6 in Yanoff M and Duker J. *Ophthalmology* (3rd edition), 2009, New York: Elsevier, pp 1137-1140.
370. Johnson CA. Visual Fields: visual field test strategies. In *Pearls of Glaucoma Management* (Giacconi, Law, Coleman, Caprioli, eds), New York: Springer, 2010, Chapter 15, pp 123-128.
371. Johnson CA. Detecting functional changes in the patient's vision – Visual Field Analysis. Chapter 23 in Schacknow and Samples, *The Glaucoma Book*, Wilmington, PA: Springer, 2010, pp. 229-264.

PUBLICATIONS IN PRESS:

- Johnson CA, Spry PGD, Chauhan BC: A glaucoma change probability (GCP) analysis procedure for frequency doubling technology (FDT) perimetry. *Optometry and Vision Science*, in press.
- Johnson CA. Short-Wavelength Automated Perimetry (SWAP) May Not Predict Glaucoma Conversion. *Glaucoma Today*, in press.
- Johnson CA, Wilkinson ME. Vision and Driving: The United States. *Journal of Neuro-Ophthalmology*, in press.
- Artes PGH, Chauhan BC, Keltner JL, Cello KE, Johnson CA, Anderson DR, Gordon MO, Kass MA, Ocular Hypertension Treatment Study Group. Longitudinal and cross-sectional analyses of visual field progression in participants of the ocular hypertension treatment study. *Archives of Ophthalmology*, in press.
- Johnson CA. Learning effects and perimetry. *Optometric Glaucoma Society E-journal*.
- Gardiner SK, Demirel S, Johnson CA. Perimetric indices as predictors of future glaucomatous functional change. *Optometry and Vision Science*, in press.

SUBMITTED FOR PUBLICATION:

Twa M, Parthasarathy S, Johnson CA, Bullimore MA. Morphometric analysis and classification of glaucomatous optic neuropathy using radial polynomials.

Demirel S, Fan JJ, Levine RA, Keltner JL, Johnson CA, Gordon MO, Kass MA and the Ocular Hypertension Treatment Study Group. Baseline visual field predictors for glaucoma onset in the Ocular Hypertension Treatment Study (OHTS) determined using relative-risk survival-time trees.

Keltner JL, Johnson CA, Cello KE, Redline DE, Gal RL, Booth A, Kollman C, Beck RW and the Optic Neuritis Study Group: Visual field abnormalities 10 years after optic neuritis: Experience in the Optic Neuritis Treatment Trial.

Chavez AL, Paulose-Ram R, Tilert T, Johnson CA, Zhang X, Lee PP, Saaddine JB. Visual field testing using frequency doubling technology in the National Health and Nutrition Examination Survey, 2005-2006.

Anderson AJ, Johnson CA, Werner JS. Measuring central visual function in age-related maculopathy with frequency-doubling (Matrix) perimetry.

Gardiner SK, Demirel S, Johnson CA, Swanson WH. Assessment of linear-scale indices for perimetry in terms of progression in early glaucoma.

Gardiner SK, Johnson CA, Demirel S. Heidelberg Retinal Tomograph Cup Size Predicts Subsequent Functional Change in Early Glaucoma.

Kymes SM, Lambert DL, Lee PP, Musch DC, Sieffried CJ, Kotak SV, Stwalley DL, Fain J, Johnson CA, Gordon MO. The development of a decision analytic model of changes in mean deviation in people with glaucoma: The COA model.

Vislisel JM, Doyle CK, Johnson CA, Wall M. Variability of Rarebit perimetry and standard perimetry sizes I and III in normals.

CONSULTING ACTIVITIES:

- | | | |
|-----|---|--|
| 1. | Vision consultant to California Highway Patrol | 1981-1997 |
| 2. | Vision consultant to Federal Aviation Administration | 1983 |
| 3. | Vision consultant to California Commission on POST
(Peace Officer Standards and Training) | 1983-1985 &
1992-1993. |
| 4. | Vision consultant to several medical diagnostic
instrumentation and pharmaceutical companies: | |
| | a. Synemed, Inc. | 1978-1984 |
| | b. Bio-Rad | 1983-1985 |
| | c. TechnaVision | 1987-1988 |
| | d. Humphrey Instruments (Carl Zeiss Meditec) | 1983-1985 &
1987-1990 &
2000-2005. |
| | e. Welch Allyn | 1994-2010 |
| | f. Alcon Laboratories | 1994-1996 |
| | g. Merck Research Laboratories | 1994-1996 |
| | h. Allergan Pharmaceuticals | 1995, 1997-2008 |
| | i. Parke-Davis (Pfizer) | 1999-2005. |
| | j. Novartis | 2001-2003, 2010 |
| | k. Concurrent Pharmaceuticals | 2003. |
| | l. Optobionics. | 2003. |
| | m. Boeringer-Ingelheim | 2005-2009. |
| | n. Pfizer | 2005- 2009. |
| | o. Eli Lilly | 2005-2006 |
| | p. Wyeth / Guidenz | 2005-2006 |
| | q. AcuFocus | 2007-2009 |
| | r. Vitreoretinal Technologies | 2007-2010 |
| | s. Ophthalmic Research Associates | 2008-present |
| | t. AEGIS Creative Communications | 2009-present |
| 5. | Vision consultant to Hewlett-Packard | 1988 |
| 6. | Vision consultant to State of California Department of Corrections | 1990-1999. |
| 7. | Vision consultant to the California Department of Motor Vehicles | 1991-1993. |
| 8. | Vision consultant to the U.S. Department of Transportation | |
| 9. | (Vision Standards for Commercial Drivers) | 1991 |
| 9. | Vision consultant for California State Personnel Board | 1991-present. |
| 10. | Vision consultant for California Department of Transportation | 1991-1995. |
| 11. | Vision consultant for California Youth Authority | 1991-present. |
| 12. | Vision consultant for California Department of Parks and Recreation | 1992-1996. |
| 13. | Vision consultant for California Department of Fish and Game | 1992-1996. |
| 14. | Vision consultant and expert witness for legal cases involving night
driving, color vision, job-related vision standards, etc. | 1992-2002. |
| 15. | Vision Consultant for California Department of Forestry | 1997-1999. |
| 16. | Vision Consultant for the Equal Employment Opportunity Comm. | 1998-2002. |
| 17. | Vision Consultant to the California State Attorney General's Office | 1999-2004. |
| 18. | Vision Consultant, Human Rights Tribunal of Ontario, Canada | 2009-2010. |

Details of specific consulting activities for the above will be provided upon request.